Table 32 (page 1 of 4). Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 2000

[Data are based on death certificates]

Sex, race, Hispanic origin, and rank order	1980		2000	
	Cause of death	Deaths	Cause of death	Deaths
All persons				
2		1,989,841 761,085 416,509 170,225 105,718 56,050 54,619 34,851 30,583 29,449 26,869	All causes Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases Unintentional injuries Diabetes mellitus Influenza and pneumonia Alzheimer's disease Nephritis, nephrotic syndrome and nephrosis Septicemia	2,403,351 710,760 553,091 167,661 122,009 97,900 69,301 65,313 49,558 37,251 31,224
Male	All causes	1,075,078	All causes	1 177 570
2	Diseases of heart Malignant neoplasms Unintentional injuries Cerebrovascular diseases Chronic obstructive pulmonary diseases Pneumonia and influenza Suicide Chronic liver disease and cirrhosis Homicide	405,661 225,948 74,180 69,973 38,625 27,574 20,505 19,768 18,779 14,325	Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Chronic lower respiratory diseases Diabetes mellitus Influenza and pneumonia Suicide Nephritis, nephrotic syndrome and nephrosis Chronic liver disease and cirrhosis	1,177,578 344,807 286,082 64,769 63,817 60,004 31,602 28,658 23,618 17,811 17,214
Female				
2	All causes Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Pneumonia and influenza Diabetes mellitus Atherosclerosis Chronic obstructive pulmonary diseases Chronic liver disease and cirrhosis Certain conditions originating in the perinatal period	914,763 355,424 190,561 100,252 31,538 27,045 20,526 17,848 17,425 10,815 9,815	All causes Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases Diabetes mellitus Influenza and pneumonia Alzheimer's disease Unintentional injuries Nephritis, nephrotic syndrome and nephrosis Septicemia	1,225,773 365,953 267,009 102,892 62,005 37,699 36,655 35,120 34,083 19,440 17,687
White				
2	. Chronic liver disease and cirrhosis	1,738,607 683,347 368,162 148,734 90,122 52,375 48,369 28,868 27,069 25,240 24,829	All causes Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases Unintentional injuries Influnza and pneumonia Diabetes mellitus Alzheimer's disease Nephritis, nephrotic syndrome and nephrosis Suicide	2,071,287 621,719 480,011 144,580 112,840 82,592 57,914 55,561 46,460 29,598 26,475
Black				
2	All causes Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Homicide Certain conditions originating in the perinatal period Pneumonia and influenza Diabetes mellitus Chronic liver disease and cirrhosis Nephritis, nephrotic syndrome, and nephrosis	233,135 72,956 45,037 20,135 13,480 10,172 6,961 5,648 5,544 4,790 3,416	All causes Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Diabetes mellitus Homicide Human immunodeficiency virus (HIV) disease Chronic lower respiratory diseases Nephritis, nephrotic syndrome and nephrosis Influenza and pneumonia	285,826 77,523 61,945 19,221 12,277 12,021 7,867 7,848 7,607 6,911 5,990

See footnotes at end of table.

Table 32 (page 2 of 4). Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 2000

[Data are based on death certificates]

Sex, race, Hispanic origin, and rank order	1980		2000	
	Cause of death	Deaths	Cause of death	Deaths
American Indian or Alaska Native				
	All causes	6,923	All causes	11,36
2	. Diabetes mellitus	1,494 1,290 770 410 322 257 217 210	Diseases of heart Malignant neoplasms Unintentional injuries Diabetes mellitus Cerebrovascular diseases Chronic liver disease and cirrhosis Chronic lower respiratory diseases Suicide	2,41 1,91 1,35 61 57 53 42 29
0	Certain conditions originating in the perinatal period Suicide	199 181	Influenza and pneumonia Nephritis, nephrotic syndrome and nephrosis	28 21
Asian or Pacific Islander				
	All causes	11,071	All causes	34,87
2	. Certain conditions originating in the perinatal period . Diabetes mellitus	3,265 2,522 1,028 810 342 249 246 227 211 207	Malignant neoplasms Diseases of heart Cerebrovascular diseases Unintentional injuries Chronic lower respiratory diseases Influenza and pneumonia Diabetes mellitus Suicide Nephritis, nephrotic syndrome and nephrosis Certain conditions originating in the perinatal period	9,22 9,10 3,28 1,67 1,13 1,12 1,10 61 52 39
Hispanic			• "	407.05
			All causes	107,25
1 2			Diseases of heart Malignant neoplasms	25,81 21,16
3			Unintentional injuries	8,83
4			Cerebrovascular diseases	6,18
5			Diabetes mellitus Chronic liver disease and cirrhosis	5,32 3.18
7			Homicide	2,91
3			Chronic lower respiratory diseases	2,68
9			Influenza and pneumonia	2,62
White male			Certain conditions originating in the perinatal period	2,14
. vvriite maie	All causes	933,878	All causes	1,007,19
2	. Chronic liver disease and cirrhosis . Diabetes mellitus	364,679 198,188 62,963 60,095 35,977 23,810 18,901 16,407 12,125 10,543	Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases Unintentional injuries Diabetes mellitus Influenza and pneumonia Suicide Chronic liver disease and cirrhosis Nephritis, nephrotic syndrome and nephrosis	301,55 247,40 54,93 54,81 53,32 26,00 25,00 21,29 15,00 14,38
Black male			•••	
	All causes	130,138	All causes	145,18
2	Diseases of heart Malignant neoplasms Unintentional injuries Cerebrovascular diseases Homicide Certain conditions originating in the perinatal period Pneumonia and influenza Chronic liver disease and cirrhosis Chronic obstructive pulmonary diseases Diabetes mellitus	37,877 25,861 9,701 9,194 8,274 3,869 3,386 3,020 2,429 2,010	Diseases of heart Malignant neoplasms Unintentional injuries Cerebrovascular diseases Homicide Human immunodeficiency virus (HIV) disease Diabetes mellitus Chronic lower respiratory diseases Nephritis, nephrotic syndrome and nephrosis Influenza and pneumonia	36,74 32,81 8,53 8,02 6,48 5,40 4,77 4,23 3,07 2,91

See footnotes at end of table.

Table 32 (page 3 of 4). Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 2000

[Data are based on death certificates]

Sex, race, Hispanic origin, and rank order	1980		2000	
	Cause of death	Deaths	Cause of death	Deaths
American Indian or Alaska Native male				
	All causes	4,193	All causes	6,185
2	Pneumonia and influenza Suicide	946 917 408 239 163 162 148 147	Diseases of heart Malignant neoplasms Unintentional injuries Chronic liver disease and cirrhosis Diabetes mellitus Cerebrovascular diseases Suicide Chronic lower respiratory diseases	1,341 997 900 298 275 250 237 228
0	Certain conditions originating in the perinatal period Diabetes mellitus	107 86	Homicide Influenza and pneumonia	159 149
Asian or Pacific Islander male				
	All causes	6,809	All causes	19,018
3	Malignant neoplasms Unintentional injuries Cerebrovascular diseases Pneumonia and influenza Suicide Chronic obstructive pulmonary diseases Homicide Certain conditions originating in the perinatal period	2,174 1,485 556 521 227 159 158 151 128	Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Chronic lower respiratory diseases Influenza and pneumonia Diabetes mellitus Suicide Nephritis, nephrotic syndrome and nephrosis Homicide	5,175 4,865 1,555 1,057 722 592 547 452 254
Hispanic male				
			All causes	60,172
1. 2. 3. 4. 5. 6. 7. 8. 9. 0.			Diseases of heart Malignant neoplasms Unintentional injuries Cerebrovascular diseases Diabetes mellitus Homicide Chronic liver disease and cirrhosis Suicide Human immunodeficiency virus (HIV) disease Chronic lower respiratory diseases	13,566 11,138 6,696 2,865 2,507 2,431 2,312 1,525 1,493 1,451
White female				
	All causes	804,729	All causes	1,064,096
2. 3. 4. 5. 6. 7. 8. 9.	Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Pneumonia and influenza Diabetes mellitus Atherosclerosis Chronic obstructive pulmonary diseases Chronic liver disease and cirrhosis Certain conditions originating in the perinatal period	318,668 169,974 88,639 27,159 24,559 16,743 16,526 16,398 8,833 6,512	Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases Alzheimer's disease Influenza and pneumonia Diabetes mellitus Unintentional injuries Nephritis, nephrotic syndrome and nephrosis Septicemia	320,168 232,608 89,642 58,024 32,936 32,912 29,552 29,263 15,213 14,088
Black female				
3. 4. 5. 6. 7. 8.	Malignant neoplasms Cerebrovascular diseases Unintentional injuries Diabetes mellitus Certain conditions originating in the perinatal period Pneumonia and influenza	102,997 35,079 19,176 10,941 3,779 3,534 3,092 2,262 1,898 1,770 1,722	All causes Diseases of heart Malignant neoplasms Cerebrovascular diseases Diabetes mellitus Nephritis, nephrotic syndrome and nephrosis Unintentional injuries Chronic lower respiratory diseases Septicemia Influenza and pneumonia Human immunodeficiency virus (HIV) disease	140,642 40,783 29,128 11,195 7,250 3,837 3,746 3,369 3,341 3,075 2,448

See footnotes at end of table.

Table 32 (page 4 of 4). Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 2000

[Data are based on death certificates]

Sex, race, Hispanic origin, and rank order	1980		2000	
	Cause of death	Deaths	Cause of death	Deaths
American Indian or Alaska Native female				
	All causes	2,730	All causes	5,178
2	Diseases of heart Malignant neoplasms Unintentional injuries Chronic liver disease and cirrhosis Cerebrovascular diseases Diabetes mellitus Pneumonia and influenza Certain conditions originating in the perinatal period Nephritis, nephrotic syndrome, and nephrosis Homicide	577 362 344 171 159 124 109 92 56 55	Diseases of heart Malignant neoplasms Unintentional injuries Diabetes mellitus Cerebrovascular diseases Chronic liver disease and cirrhosis Chronic lower respiratory diseases Influenza and pneumonia Nephritis, nephrotic syndrome and nephrosis Septicemia	1,076 917 453 341 322 236 201 140 117 88
Asian or Pacific Islander female				
	All causes	4,262	All causes	15,857
2		1,091 1,037 507 254 124 118 115 104 90	Malignant neoplasms Diseases of heart Cerebrovascular diseases Unintentional injuries Diabetes mellitus Influenza and pneumonia Chronic lower respiratory diseases Nephritis, nephrotic syndrome and nephrosis Essential (primary) hypertension and hypertensive renal disease	4,356 3,926 1,733 621 556 528 411 273
10	. Homicide	60	Septicemia	170
Hispanic female				
			All causes	47,082
1			Diseases of heart Malignant neoplasms	12,253 10,022
3			Cerebrovascular diseases	3,322
4			Diabetes mellitus	2,821
5			Unintentional injuries	2,134
6			Influenza and pneumonia	1,322 1,238
7			Chronic lower respiratory diseases Certain conditions originating in the perinatal period	951
9			Chronic liver disease and cirrhosis	875
	•		Nephritis, nephrotic syndrome and nephrosis	841

^{...} Category not applicable. --- Data not available.

NOTES: Cause of death code numbers are based on the International Classification of Diseases, 9th Revision (ICD-9) in 1980 and ICD-10 in 2000. See Appendix II, tables IV and V.

SOURCES: Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System; Vital statistics of the United States, vol II, mortality, part A, 1980. Washington: Public Health Service. 1985; Anderson RN. Deaths: Leading causes for 2000. National vital statistics reports. vol 50 no 16. Hyattsville, Maryland: National Center for Health Statistics. 2002.